


AEROPRO



O4+
AIR
NAILER

O4+ AIR NAILER

AIR FRAMING NAILERS

Ideal for framing, sheathing, siding, trusses, bridgingwood to masonry, engineered lumber, strapping,fencing, and exterior decks, subflooring, bracing

AIR ROOFING NAILERS

Ideal for roofing, exterior drywall, insulation boards, vinyl siding,vapor barrier installation (Moisture Barrier Installation),fiber cement siding.

AIR FINISH NAILERS

Ideal for interior and exterior finish and trim, furniture,cabinet work,staircases, base boards, shoe and crownmoulding, window casing, and chair rail mouldingt

AIR BRAD NAILERS


Ideal for trim work, furniture building, baseboards andcrown molding installation, flooring and other woodworkingfinish applications

PROFESSIONAL FRAMING NAILER



21° RHF9021

Round Head Framing Nailer



FEATURES

- Tool Free Depth Adjust
- Front Exhaust
- Rafter Hook

APPLICATIONS

- Framing
- Sheathing
- Flooring
- Decking

FASTENER SPECS

FULL ROUND HEAD STICK NAILS


Collation Angle	21 degrees
Length	2"-3 1/2"(50-90mm)
Shank Diameter	114"-.13"(2.9-3.3mm)
Head Diameter	.276"(7mm)

SPECS

Working Pressure	80-120Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	2x30Pcs
Weight	3.9Kg
Dimension	124x400x347mm
Packing Quantity	2pcs
Outer box size	600*280*425mm

21° RHF9021NS

Round Head Framing Nailer



FEATURES

- Tool Free Depth Adjust
- Front Exhaust
- Rafter Hook

APPLICATIONS

- Framing
- Sheathing
- Flooring
- Decking

FASTENER SPECS

FULL ROUND HEAD STICK NAILS

Collation Angle	21 degrees
Length	2"-3 1/2"(50-90mm)
Shank Diameter	114"-.13"(2.9-3.3mm)
Head Diameter	.276"(7mm)

SPECS

Working Pressure	80-120Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	2x30Pcs
Weight	3.9Kg
Dimension	124x400x347mm
Packing Quantity	2pcs
Outer box size	600*280*425mm

21° RHF9021C

Round Head Framing Nailer



Switchable fire mechanism


FEATURES

- Tool Free Depth Adjust
- 360° Adjustable exhaust
- No-mar tips

APPLICATIONS

- Framing
- Sheathing
- Flooring
- Decking

FASTENER SPECS		SPECS	
FULL ROUND HEAD STICK NAILS		Working Pressure	80-120Psi
Collation Angle	21 degrees	Max.Presssure	120Psi(8.3Bar)
Length	2"-3 1/2"(50-90mm)	Load Capacity	2x30Pcs
Shank Diameter	.114"-.13"(2.9-3.3mm)	Weight	3.9Kg
Head Diameter	.276"(7mm)	Dimension	124x400x347mm
		Packing Quantity	2pcs
		Outer box size	550*285*435mm



34° CHF9034C

Clipped Head Framing Nailer



Switchable fire mechanism


FEATURES

- Tool Free Depth Adjust
- 360° Adjustable exhaust
- No-mar tips

APPLICATIONS

- Framing
- Sheathing
- Flooring
- Decking

FASTENER SPECS		SPECS	
CLIPPED HEAD STICK NAILS		Working Pressure	80-120Psi
Collation Angle	34 degrees	Max.Presssure	120Psi(8.3Bar)
Length	2"-3 1/2"(50-90mm)	Load Capacity	2x30Pcs
Shank Diameter	.114"-.15"(2.9-3.8mm)	Weight	3.9Kg
Head Diameter	.268"-.303"(6.8-7.7mm)	Dimension	124x400x347mm
		Packing Quantity	2pcs
		Outer box size	550*285*435mm



34° ACHF9034

Clipped Head Framing Nailer



Switchable fire mechanism


FEATURES

- Tool Free Depth Adjust
- Front Exhaust
- Rafter Hook

APPLICATIONS

- Framing
- Sheathing
- Flooring
- Decking

FASTENER SPECS		SPECS	
CLIPPED HEAD STICK NAILS		Working Pressure	80-120Psi
Collation Angle	34 degrees	Max.Presssure	120Psi(8.3Bar)
Length	2"-3 1/2"(50-90mm)	Load Capacity	2x40Pcs
Shank Diameter	.114"-.15"(2.9-3.8mm)	Weight	3.5Kg
Head Diameter	.268"-.303"(6.8-7.7mm)	Dimension	118x408x342mm
		Packing Quantity	2pcs
		Outer box size	490*385*280mm



15° CN83

Coil Framing Nailer





FEATURES

- Tool Free Depth Adjust
- Front Exhaust

APPLICATIONS

- Framing
- Pallets
- Flooring
- Decking

FASTENER SPECS		SPECS	
FASTENER SPECS		Working Pressure	70-120Psi
Collation Angle	15 degrees	Max.Presssure	120Psi(8.3Bar)
Length	2"-3 1/4"(50-83mm)	Load Capacity	300Pcs
Shank Diameter	.098"-.13"(2.5-3.3mm)	Weight	3.9Kg
Head Diameter	.236"-.283"(6-7.2mm)	Dimension	316x360x136mm
		Packing Quantity	3pcs
		Outer box size	460*385*420mm



15° MCN90

Coil Framing Nailer



Switchable fire mechanism

FEATURES

- Tool Free Depth Adjust
- 360° Adjustable exhaust
- No-mar tips

APPLICATIONS


- Sheathing
- Pallets
- Wood cases
- Decking

FASTENER SPECS

COIL NAILS	
Collation Angle	15 degrees
Length	1 3/4"-3 1/2"(45-90mm)
Shank Diameter	.090"-.114"(2.3-2.9mm)
Thickness	tec

SPECS

Working Pressure	90-110Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	225Pcs
Weight	4.25Kg
Dimension	376x356x132mm
Packing Quantity	2pcs
Outer box size	410*295*420mm



MSN90

Air Palm Nailer



FEATURES

- Light weight
- Long service life
- powerful

APPLICATIONS


- Framing
- Sheathing
- Flooring
- Decking

FASTENER SPECS

COLLATED NAILS	
Collation Angle	15 degrees
Length	2"-3 1/2"(50-90mm)
Head Diameter	.118"-.354"(3-9mm)

SPECS

Working Pressure	70-100Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	1Pcs
Weight	0.35Kg
Dimension	103x53x103mm
Packing Quantity	20pcs
Outer box size	325x240x225



MSN120

Air Palm Nailer



FEATURES

- Long service life
- powerful

APPLICATIONS


- Framing
- Sheathing
- Flooring
- Decking

FASTENER SPECS

COLLATED NAILS	
Collation Angle	15 degrees
Length	2"-4 3/4"(50-120mm)
Head Diameter	.118"-.433"(3-11mm)

SPECS

Working Pressure	70-100Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	1Pcs
Weight	0.85Kg
Dimension	128x129x81mm
Packing Quantity	20pcs
Outer box size	650*270*285mm



15° TEC038

Metal Connector Nailer



FEATURES

- 360° Adjustable exhaust
- Rafter Hook

APPLICATIONS


- Metal connector

FASTENER SPECS

FULL ROUND HEAD STICK NAILS	
Collation Angle	15 degrees
Length	1 1/2"(38mm)
Shank Diameter	.13"-.15"(3.3-3.8mm)
Head Diameter	.28"(7.1mm)

SPECS

Working Pressure	80-120Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	2x30Pcs
Weight	3.9Kg
Dimension	124x400x347mm
Packing Quantity	5pcs
Outer box size	550*370*320mm



AEROPRO

COIL SIDING/ROOFING NAILER



15° CN65RA

Coil Siding Nailer



Switchable fire mechanism

FEATURES

Tool Free
Depth Adjust360° Adjustable
exhaustNo-mar
tips

APPLICATIONS



Siding



Framing



Sheathing



Fencing

FASTENER SPECS


COIL NAILS

Collation Angle	15 degrees
Length	1 1/4"-2 1/2"(32-65mm)
Shank Diameter	.083"-.091"(2.1-2.3mm)
Thickness	.224"(5.7mm)


SPECS

Working Pressure	70-120Psi
Max.Presssure	120Psi(8.3Bar)
Nail Capacity	250Pcs
Weight	2.3Kg
Dimension	282x316x132mm
Packing Quantity	3pcs
Outer box size	453*338*366mm

Ø5.4mm-Ø5.9mm
Head dia:0.212"-0.232"



Ø5.4mm-Ø5.9mm
Head dia:0.212"-0.232"



Ø2.3mm-Ø2.5mm
Shank dia:0.090"-0.099"

Ø2.3mm-Ø2.5mm
Shank dia:0.090"-0.099"



0° CN65ZRA

Coil Siding Nailer



Switchable fire mechanism

FEATURES

Tool Free
Depth Adjust360° Adjustable
exhaustNo-mar
tips

APPLICATIONS



Siding



Framing



Sheathing



Fencing

FASTENER SPECS


COIL NAILS

Collation Angle	0 degrees
Length	1 1/4"-2 1/2"(32-65mm)
Shank Diameter	.083"-.091"(2.1-2.3mm)
Thickness	.224"(5.7mm)


SPECS

Working Pressure	70-120Psi
Max.Presssure	120Psi(8.3Bar)
Nail Capacity	300Pcs
Weight	2.3Kg
Dimension	282x316x132mm
Packing Quantity	3pcs
Outer box size	496*338*370cmm

Ø5.4mm-Ø5.9mm
Head dia:0.212"-0.232"



Ø2.3mm-Ø2.5mm
Shank dia:0.092"-0.099"



15° CN45RA

Coil Roofing Nailer



HOT!

FEATURES

Tool Free
Depth Adjust

Front Exhaust

APPLICATIONS



Sheathing



Framing



Fencing



FASTENER SPECS

COIL NAILS

Collation Angle	15 degrees
Length	7/8"-1 3/4"(22-45mm)
Shank Diameter	.12"(3.05mm)
Thickness	.413"(10.5mm)

SPECS

Working Pressure	70-120Psi
Max.Presssure	120Psi(8.3Bar)
Nail Capacity	120Pcs
Weight	2.2kg
Dimension	283x280x115mm
Packing Quantity	3pcs
Outer box size	435*355*340mm



15° CN45C

Coil Roofing Nailer



HOT!

Switchable fire mechanism

FEATURES

Tool Free
Depth Adjust360° Adjustable
exhaustRafter
Hook

APPLICATIONS



Sheathing



Framing



Fencing



FASTENER SPECS

COIL NAILS

Collation Angle	15 degrees
Length	7/8"-1 3/4"(22-45mm)
Shank Diameter	.12"(3.05mm)
Thickness	.413"(10.5mm)


SPECS

Working Pressure	70-120Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	120Pcs
Weight	/
Dimension	283x280x115mm
Packing Quantity	3pcs
Outer box size	455*355*340mm



AEROPRO


INDUSTRIAL COIL NAILER



HOT!


Pallets


 Wood cases

 Decking

HOT!

 Durable
Pallets


 Wood cases

 Decking

HOT!

 Durable
Pallets


 Wood cases

 Decking

HOT!

 Front Exhaust Durable Pallets

 Wood cases




PROFESSIONAL FINISH NAILER



14 GA ST64X

Concrete Nailer



FEATURES

Front Exhaust

APPLICATIONS

Windows/Door

Cabinets

Interior Decoration

FASTENER SPECS

COIL NAILS


Collation Angle	15 degrees
Length	2" to 3 1/2"
Shank Diameter	.099" to .131"
Head Diameter	.256" to .303"

SPECS

Working Pressure	80-110Psi
Max.Pressure	120Psi(8.3Bar)
Load Capacity	90Pcs
Weight	3.3Kg
Dimension	330x275x90mm
Packing Quantity	5pcs
Outer box size	635*365*355mm

15 GA DA64R

Finish Nailer



FEATURES

Tool Free Depth Adjust

360°Adjustable exhaust

Quick Jam Release

APPLICATIONS

Windows/Door

Cabinets

Interior Decoration

FASTENER SPECS

CLIPPED HEAD STICK NAILS


Collation Angle	34 degrees
Length	1"-2 1/2"(25-64mm)
Shank Diameter	.071"(1.8mm)
Head Diameter	.142"(3.6mm)

SPECS

Working Pressure	85-115Psi
Max.Pressure	120Psi(8.3Bar)
Load Capacity	100Pcs
Weight	2.09Kg
Dimension	320x330x80mm
Packing Quantity	5pcs
Outer box size	575*365*375mm

16 GA AFN64

Finish Nailer



FEATURES

Tool Free Depth Adjust

360°Adjustable exhaust

Quick Jam Release

APPLICATIONS

Windows/Door

Cabinets

Interior Decoration

FASTENER SPECS

BRAD NAILS

Length	1"-2 1/2"(25-64mm)
Shank Diameter	.055"(1.4mm)
Head Diameter	.102"- .118"(2.6-3.0mm)
Thickness	.063"(1.6mm)

SPECS

Working Pressure	80-120Psi
Max.Pressure	120Psi(8.3Bar)
Load Capacity	100Pcs
Weight	1.83Kg
Dimension	320x280x80mm
Packing Quantity	5pcs
Outer box size	570*380*355mm

2 IN 1 COMBI NAILER



16^{GA} LT50 Finish Nailer



FEATURES

- Tool Free Depth Adjust
- 360°Adjustable exhaust
- Quick Jam Release

APPLICATIONS


- Windows/Door
- Cabinets
- Interior Decoration

FASTENER SPECS

BRAD NAILS	
Length	13/16"-2"(20-50mm)
Shank Diameter	.055"(1.1mm)
Head Diameter	.102"-.118"(2.6-3.0mm)
Thickness	.063"(1.6mm)

SPECS

Working Pressure	80-110Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	90Pcs
Weight	3.3Kg
Dimension	330x275x90mm
Packing Quantity	5pcs
Outer box size	510*370*345mm



16/18^{GA} TF6450 3 IN 1 Combi Nailer



FEATURES

- Tool Free Depth Adjust
- Front Exhaust
- Quick Jam Release

APPLICATIONS



- Windows /Door
- Cabinets
- Interior Decoration
- Furniture

FASTENER SPECS

BRAD NAILS	
Length	5/8"-2"(15-50mm)
Shank Diameter	.039"(1mm)
Head Diameter	.071"-.079"(1.8-2.0mm)
Thickness	.049"(1.25mm)

SPECS

Working Pressure	70-100Psi
Max.Presssure	120Psi(8.3Bar)
Nail Capacity	100Pcs
Weight	2.4Kg
Dimension	316x296x75mm
Packing Quantity	1pcs
Outer box size	490*400*345mm



18_{GA} ASF5040
2 IN 1 Combi Nailer

HOT!



FEATURES	
Tool Free Depth Adjust	360° Adjustable exhaust
Quick Jam Release	
APPLICATIONS	
Windows /Door	Cabinets
Interior Decoration	Furniture
FASTENER SPECS	
BRAD NAILS	
NARROW CROWN STAPLES	
15mm 5/8" Ga18 1.25×1.00mm	50mm 2" 16mm 5/8" 40mm 1-5/8" Ga18 1.25×1.05mm
SPECS	
Working Pressure	80-100Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	100Pcs
Weight	1.6Kg
Dimension	103x53x103mm
Packing Quantity	10pcs
Outer box size	515*300*330mm

18_{GA} AF50
Brad Nailer

HOT!



15mm 5/8" Ga18 1.25×1.00mm 50mm 2"

FEATURES	
Tool Free Depth Adjust	360° Adjustable exhaust
Quick Jam Release	
APPLICATIONS	
Windows/Door	Cabinets
Interior Decoration	
FASTENER SPECS	
BRAD NAILS	
Length	5/8"-2"(15-50mm)
Shank Diameter	.039"(1mm)
Head Diameter	.071"-.079"(1.8-2.0mm)
Thickness	.049"(1.25mm)
SPECS	
Working Pressure	70-110Psi
Max.Presssure	120Psi(8.3Bar)
Nail Capacity	100Pcs
Weight	1.03Kg
Dimension	264x240x58mm
Packing Quantity	10pcs
Outer box size	*300*340mm

18_{GA} F30K
Brad Nailer



10mm 3/8" Ga18 1.25×1.00mm 30mm 1-3/16"

FEATURES	
Front Exhaust	Quick Jam Release
APPLICATIONS	
Windows/Door	Cabinets
Interior Decoration	
FASTENER SPECS	
BRAD NAILS	
Length	5/8"-2"(15-50mm)
Shank Diameter	.039"(1mm)
Head Diameter	.071"-.079"(1.8-2.0mm)
Thickness	.049"(1.25mm)
SPECS	
Working Pressure	70-110Psi
Max.Presssure	120Psi(8.3Bar)
Nail Capacity	100Pcs
Weight	1.1Kg
Dimension	239x178x59mm
Packing Quantity	10pcs
Outer box size	515*300*340mm

16_{GA} N851NP
Wide Crown Stapler



10.8mm 25mm 1" 50mm 2" Ga16 1.6×1.4mm

FEATURES	
360° Adjustable exhaust	
APPLICATIONS	
Furniture	Sheathing
Flooring	Decking
FASTENER SPECS	
WIDE CROWN STAPLES	
Length	1"-2"(25-50mm)
Crown Size	.425"(10.8mm)
Thickness	.055"-.063"(1.4-1.6mm)
SPECS	
Working Pressure	80-110Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	150Pcs
Weight	2.2Kg
Dimension	362x340x80mm
Packing Quantity	5pcs
Outer box size	490*400*345mm

18_{GA} 9040B(440KB)
Narrow Crown Stapler



.049" (1.25mm) .224" (5.7mm) .630" (16mm) .866" (22mm) 1.102" (28mm) 1.496" (38mm) 60° Ga18 1.25×1.05mm .748" (19mm) .984" (25mm) 1.260" (32mm) .039" (1mm) 1.575" (40mm)

FEATURES	
360° Adjustable exhaust	Long service life
	powerful
APPLICATIONS	
Windows /Door	Cabinets
	Furniture
FASTENER SPECS	
NARROW CROWN STAPLES	
Length	3/4"-1 9/16"(19-40mm)
Crown Size	.041"-.049"(1.05-1.25mm)
Thickness	.055"-.063"(1.4-1.6mm)
SPECS	
Working Pressure	70-110Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	100Pcs
Weight	2.54Kg
Dimension	303x274x81mm
Packing Quantity	5pcs
Outer box size	470*365*335mm

18_{GA} 9040C
Narrow Crown Stapler



.049" (1.25mm) .224" (5.7mm) .630" (16mm) .866" (22mm) 1.102" (28mm) 1.496" (38mm) 60° Ga18 1.25×1.05mm .748" (19mm) .984" (25mm) 1.260" (32mm) .039" (1mm) 1.575" (40mm)

FEATURES	
360° Adjustable exhaust	Quick Jam Release
	No-mar tips
APPLICATIONS	
Windows /Door	Cabinets
	Furniture
FASTENER SPECS	
NARROW CROWN STAPLES	
Length	5/8"-1 9/16"(16-40mm)
Crown Size	7/32"(5.7mm)
Thickness	.041"-.049"(1.05-1.25mm)
SPECS	
Working Pressure	70-120Psi
Max.Presssure	120Psi(8.3Bar)
Nail Capacity	120Pcs
Weight	/
Dimension	283x280x115mm
Packing Quantity	10pcs
Outer box size	635*385*295mm

WIDE CROWN STAPLER



20_{GA} 1013J

Wide Crown Stapler




FEATURES

- Front Exhaust
- Quick Jam Release

APPLICATIONS

- Car Seat
- Cabinets
- Picture Frames
- Furniture

FASTENER SPECS	
WIDE CROWN STAPLES	
Length	1/4"-1/2"(6-13mm)
Crown Size	7/16"(11.2mm)
Thickness	.024"-.047"(0.6-1.2mm)



SPECS	
Working Pressure	70-110Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	70Pcs
Weight	0.9Kg
Dimension	210x145x45mm
Packing Quantity	10pcs
Outer box size	340*295*255mm

20_{GA} 1022J

Wide Crown Stapler




FEATURES

- Front Exhaust
- Quick Jam Release

APPLICATIONS

- Car Seat
- Cabinets
- Picture Frames
- Furniture

FASTENER SPECS	
WIDE CROWN STAPLES	
Length	1/4"-1/2"(6-13mm)
Crown Size	7/16"(11.2mm)
Thickness	.024"-.047"(0.6-1.2mm)



SPECS	
Working Pressure	70-110Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	100Pcs
Weight	1.25Kg
Dimension	241x186x54mm
Packing Quantity	10pcs
Outer box size	410*305*277cmm

20_{GA} T50JC

Wide Crown Stapler




FEATURES

- Front Exhaust
- Quick Jam Release
- No-mar tips

APPLICATIONS

- Car Seat
- Cabinets
- Picture Frames
- Furniture

FASTENER SPECS	
WIDE CROWN STAPLES	
Length	1/4"-5/8"(6-16mm)
Crown Size	.358"(9.1mm)
Thickness	.024"-.03"(0.6-0.7mm)



SPECS	
Working Pressure	70-110Psi
Max.Presssure	120Psi(8.3Bar)
Nail Capacity	100Pcs
Weight	0.93
Dimension	221x146x45mm
Packing Quantity	10pcs
Outer box size	345x285x252mm

21^{GA} 8016
Wide Crown Stapler



FEATURES	
Front Exhaust	Quick Jam Release
APPLICATIONS	
Car Seat	Cabinets Picture Frames Furniture
FASTENER SPECS	
WIDE CROWN STAPLES	
Length	1/4"-5/8"(6-16mm)
Crown Size	1/2"(12.7mm)
Thickness	.026"-.037"(0.65-0.95mm)
SPECS	
Working Pressure	85-115Psi
Max.Presssure	120Psi(8.3Bar)
Nail Capacity	300-350Pcs
Weight	0.85kg
Dimension	362x132x307mm
Packing Quantity	10pcs
Outer box size	452*355*312mm

21^{GA} A8016
Wide Crown Stapler



FEATURES	
Rear Exhaust	Quick Jam Release Long service life
APPLICATIONS	
Car Seat	Cabinets Picture Frames Furniture
FASTENER SPECS	
WIDE CROWN STAPLES	
Length	1/4"-5/8"(6-16mm)
Crown Size	1/2"(12.7mm)
Thickness	.026"-.037"(0.65-0.95mm)
SPECS	
Working Pressure	72-87Psi
Max.Presssure	120Psi(8.3Bar)
Nail Capacity	125Pcs
Weight	0.93Kg
Dimension	220.5x140.5x432mm
Packing Quantity	10pcs
Outer box size	345*285*252mm

22^{GA} A7116
Wide Crown Stapler




FEATURES	
Rear Exhaust	Quick Jam Release Long service life
APPLICATIONS	
Car Seat	Cabinets Picture Frames Furniture
FASTENER SPECS	
WIDE CROWN STAPLES	
Length	1/4"-5/8"(6-16mm)
Crown Size	.358"(9.1mm)
Thickness	.024"-.03"(0.6-0.7mm)
SPECS	
Working Pressure	70-120Psi
Max.Presssure	120Psi(8.3Bar)
Nail Capacity	120Pcs
Weight	0.93kg
Dimension	283x280x115mm
Packing Quantity	10pcs
Outer box size	345x285x252mm

22^{GA} 1416A/1416B
Wide Crown Stapler



FEATURES	
Front Exhaust	Quick Jam Release
APPLICATIONS	
Car Seat	Cabinets Picture Frames Furniture
FASTENER SPECS	
WIDE CROWN STAPLES	
Length	1/4"-5/8"(6-16mm)
Crown Size	.398"(10.1mm)
Thickness	.024"-.03"(0.6-0.7mm)
SPECS	
Working Pressure	80-100Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	100Pcs
Weight	1.6Kg
Dimension	103x53x103mm
Packing Quantity	10pcs
Outer box size	515*325*225mm

23^{GA} AP635
Pin Nailer



FEATURES	
Front Exhaust	Rafter Hook No-mar tips
APPLICATIONS	
Windows/Door	Cabinets Interior Decoration
FASTENER SPECS	
PIN NAILS	
Length	1/2"-1 3/8"(12-35mm)
Crown Size	.025"(0.64mm)
Thickness	.025"(0.64mm)
SPECS	
Working Pressure	80-110Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	90Pcs
Weight	3.3Kg
Dimension	330x275x90mm
Packing Quantity	10pcs
Outer box size	320*275*410mm

23^{GA} H625
Pin Nailer



FEATURES	
Front Exhaust	Long service life
APPLICATIONS	
Windows/Door	Cabinets Interior Decoration
FASTENER SPECS	
PIN NAILS	
Length	1/2"-1"(12-25mm)
Crown Size	.025"(0.64mm)
Thickness	.025"(0.64mm)
SPECS	
Working Pressure	80-110Psi
Max.Presssure	120Psi(8.3Bar)
Load Capacity	90Pcs
Weight	3.3Kg
Dimension	330x275x90mm
Packing Quantity	10pcs
Outer box size	595*3'5*145mm

CARTON CLOSING STAPLER



MTA18

Carton Closing Stapler




FEATURES

- Rear Exhaust
- Tool Free Depth Adjust

APPLICATIONS

- Carton Box Closing

FASTENER SPECS		SPECS	
CARTON CLOSING STAPLES		Working Pressure	80-110Psi
Length	.709"(18mm)	Max.Presssure	120Psi(8.3Bar)
Crown Size	1 3/8"(34.8mm)	Load Capacity	90Pcs
Thickness	.035"-.089"(0.9-2.27mm)	Weight	3.3Kg
		Dimension	330x275x90mm
		Packing Quantity	5pcs
		Outer box size	650*380*280mm



3 IN 1 FLOORING NAILER



9800RC

3 In 1 Flooring Nailer



AEROPRO

FEATURES



Long service life



powerful

APPLICATIONS




Flooring

FASTENER SPECS

COIL NAILS	
Collation Angle	30 to 34 degrees
Length	2x30Pcs
Shank Diameter	2x30Pcs
Head Diameter	2pcs

SPECS

Working Pressure	85-115Psi
Max.Pressure	120Psi(8.3Bar)
Nail Capacity	300-350Pcs
Weight	4Kg
Dimension	362x132x307mm
Packing Quantity	1pcs
Outer box size	645*200*520mm



P70

Air Rivet Gun



FEATURES



Long service life

APPLICATIONS



Windows/Door

Pulling Power	2000lbs(907kgm)	Air	0.2CFM 6L/min
Air Compressor	2 Gal.or Larger	Air Inlet	1/4 in.
Min.Hose size	1/4in.7,6mm		
Outer box size	406*417*310mm	Packing Quantity	10Pcs



A700

Air Punch Nailer



NEW

AEROPRO

FEATURES



360°Adjustable exhaust

APPLICATIONS



Home Improvement



Construction & Industry



pallets

PUNCH/SINK NAILS

BRAD NAILS	
Shank Diameter	.079"-.118"(15-50mm)
Length	/
Head Diameter	/

SPECS

Working Pressure	80-110Psi
Max.Pressure	120Psi(8.3Bar)
Load Capacity	120Pcs
Weight	3.9Kg
Dimension	55x240x255mm
Packing Quantity	10pcs
Outer box size	635*385*2955mm

