


AEROPRO



02
AIR
SPRAY GUN

02

AIR **SPRAY GUN**

AIR SPRAY GUNS

Spray painting is a painting technique where a device sprays a coating (paint, ink, varnish, etc.) through the air onto a surface. Air gun spraying uses equipment that is generally larger. It is typically used for covering large surfaces with an even coating of liquid.

AEROPRO

air spray guns are used for perfect finishes, commercial vehicles, furniture refinishing etc.

AEROPRO

HIGH EFFICIENCY AIR SPRAY GUN



A608



LONG PATTERN WIDTH

Distance at 150mm, pattern width can be 300-320 mm.

LOW PAINT CONSUMPTION

With 2 bar working pressure, paint flow is 280-300ml/min.

HIGH TRANSFER EFFICIENCY

Unique flow path design improves delivery efficiency. The atomization is more stable, and the transfer efficiency is higher than 65%.

SPECIFICATION

Type of Feed	Gravity
Standard Nozzle	φ1.3mm
Optional Nozzle	φ1.4mm
Operating Pressure	2bar
Pattern Width	245-275mm
Paint Capacity	600cc
Air Consumption	8.6-10.5cfm, 243-297L/min
Packing Quantity	8pcs
Outer Box Size	445*340*405mm

APPLICATIONS



A610

Auto Refinishing Air Spray Gun



- NEW UPGRADED TEFLON MATERIAL GUN BODY
- LIGHT WEIGHT 574.5G

TYPE OF FEED	GRAVITY
STANDARD NOZZLE	Φ1.5MM
OPTIONAL NOZZLE	Φ1.3Φ1.4Φ1.7Φ2.0Φ2.5MM
OPERATING PRESSURE	3BAR
PATTERN WIDTH	180-300MM
PAINT CAPACITY	600CC
AIR CONSUMPTION	8.5-12.4CFM,240-350L/MIN
OUTER BOX SIZE	645*243*335MM
PACKING QUANTITY	10PCS



DISPOSABLE ALL-IN-ONE SPRAY CUP SYSTEM

Tired of wasting time and paint? This is the solution. Mix and spray in one cup. Use it on any spray gun with 1.0 adapters. Then just toss it, eliminating cleanup and saving material for your next project.



Base coat : Hardener :Reducer

Easy To Mix

Easy-to-Read Measurements
Precise and Convenient Paint Mixing



AEROPRO


A501



SEALING PLUGS



SEALING PLUGS



RETAINER RING



CUP LINERS

HARD CUP

HOT!



650ml

200ml

800ml

SPRAYGUN ADAPTERS



16 mm Female 1.5 mm Thread G3/8, 3/8 inch Male

PRO HVLP SPRAY GUN



AEROPRO

A604

High Volume Low Pressure



SPECIFICATIONS

Type of Feed	Gravity
Standard Nozzle	φ1.3mm
Optional Nozzle	φ1.7mm
Operating Pressure	2bar
Pattern Width	200-240mm
Paint Capacity	600cc
Air Consumption	12-12.7cfm,340-360L/min
Outer Box Size	700*395*225mm
Packing Quantity	10pcs

A605

Reduce Pressure



SPECIFICATIONS

Type of Feed	Gravity
Standard Nozzle	φ1.3mm
Optional Nozzle	-
Operating Pressure	2bar
Pattern Width	250-300mm
Paint Capacity	600cc
Air Consumption	8.8-9.2cfm,250-260L/min
Outer Box Size	645*350*220mm
Packing Quantity	8pcs

A606

Reduce Pressure



SPECIFICATIONS

Type of Feed	Gravity
Standard Nozzle	φ1.0mm
Optional Nozzle	-
Operating Pressure	2bar
Pattern Width	130-180mm
Paint Capacity	100cc
Air Consumption	2.8-4.6cfm,80-130L/min
Outer Box Size	400*305*260mm
Packing Quantity	10pcs

PRO LVLP SPRAY GUN



AEROPRO

R500
LVLP Spray Gun



SPECIFICATIONS	
Type of Feed	Gravity
Standard Nozzle	φ1.5mm
Optional Nozzle	φ1.3φ1.4φ1.7φ2.0mm
Operating Pressure	3bar
Pattern Width	180-300mm
Paint Capacity	600cc
Air Consumption	8.5-12.4cfm,240-350L/min
Outer Box Size	470*390*270mm
Packing Quantity	10pcs

R200S
LVLP Spray Gun



SPECIFICATIONS	
Type of Feed	Suction
Standard Nozzle	φ1.5mm
Optional Nozzle	φ1.3φ1.7φ1.8φ2.0mm
Operating Pressure	3bar
Pattern Width	170-280mm
Paint Capacity	1000cc
Air Consumption	8.5-12.4cfm,240-350L/min
Outer Box Size	585*373*313mm
Packing Quantity	10pcs

R100
LVLP Spray Gun



SPECIFICATIONS	
Type of Feed	Gravity
Standard Nozzle	φ0.8mm
Optional Nozzle	φ1.0φ1.2mm
Operating Pressure	2bar
Pattern Width	100-150mm
Paint Capacity	120cc
Air Consumption	2.4-3.3cfm,68.2-93.8L/min
Outer Box Size	458*352*243mm
Packing Quantity	20pcs

PROFESSIONAL LVLP SPRAY GUN

H827-B

HVLP Spray Gun



SPECIFICATIONS	
Type of Feed	Gravity
Standard Nozzle	φ1.4mm
Optional Nozzle	φ1.3φ1.4φ1.7φ2.0φ2.2φ2.5mm
Operating Pressure	3bar
Pattern Width	180-250mm
Paint Capacity	600cc
Air Consumption	7-8.5cfm,200-240L/min
Outer Box Size	470*390*270mm
Packing Quantity	10pcs

A602

HVLP Spray Gun



SPECIFICATIONS	
Type of Feed	Gravity
Standard Nozzle	φ0.8mm
Optional Nozzle	φ0.8φ1.0φ1.2mm
Operating Pressure	2.5bar
Pattern Width	80-120mm
Paint Capacity	120cc
Air Consumption	4.8-6.2cfm,135-175L/min
Outer Box Size	485*370*205mm
Packing Quantity	20pcs

AS1009

HVLP Spray Gun



SPECIFICATIONS	
Type of Feed	Gravity
Standard Nozzle	φ1.4mm
Optional Nozzle	φ1.4φ1.7φ2.0φ2.5mm
Operating Pressure	3bar
Pattern Width	180-250mm
Paint Capacity	600cc
Air Consumption	7-8.5cfm,200-240L/min
Outer Box Size	470*390*270mm
Packing Quantity	10pcs

AS1009S

HVLP Spray Gun



SPECIFICATIONS	
Type of Feed	Suction
Standard Nozzle	φ1.4mm
Optional Nozzle	φ1.4φ1.7φ2.0φ2.5mm
Operating Pressure	3bar
Pattern Width	160-200mm
Paint Capacity	1000cc
Air Consumption	3.8-5cfm,108-142L/min
Outer Box Size	470*400*290mm
Packing Quantity	10pcs

R71G

High Pressure Spray Gun



SPECIFICATIONS	
Type of Feed	Gravity
Standard Nozzle	φ1.5mm
Optional Nozzle	φ1.3φ1.8mm
Operating Pressure	3bar
Pattern Width	105-225mm
Paint Capacity	400cc
Air Consumption	2.7-8.9cfm,75-250L/min
Outer Box Size	625*215*255mm
Packing Quantity	10pcs

R71S


High Pressure Spray Gun



SPECIFICATIONS	
Type of Feed	Suction
Standard Nozzle	φ1.5mm
Optional Nozzle	φ1.3φ1.8mm
Operating Pressure	3bar
Pattern Width	85-195mm
Paint Capacity	600cc
Air Consumption	2.7-8.9cfm,75-250L/min
Outer Box Size	455*375*270mm
Packing Quantity	10pcs

R77G

High Pressure Spray Gun



SPECIFICATIONS	
Type of Feed	Gravity
Standard Nozzle	φ1.8mm
Optional Nozzle	φ2.0φ2.5mm
Operating Pressure	3bar
Pattern Width	180-280mm
Paint Capacity	400cc
Air Consumption	4.7-8.9cfm,133-250L/min
Outer Box Size	605*232*262mm
Packing Quantity	10pcs

R77S

High Pressure Spray Gun



SPECIFICATIONS	
Type of Feed	Suction
Standard Nozzle	φ1.8mm
Optional Nozzle	φ2.0φ2.5mm
Operating Pressure	3bar
Pattern Width	180-280mm
Paint Capacity	1000cc
Air Consumption	4.2-8.9cfm,120-250L/min
Outer Box Size	460*383*264mm
Packing Quantity	10pcs

AIR-POWERED DIAPHRAGM PUMP

AEROPRO

AP8411


Air Powerd Diaphragm Pump

SPECIFICATIONS

Pressure Ratio	1:1
Air inlet nozzle	7.6mm
Air consumption	3.6m³/h
Inlet Size	1/4"
Max flow rate	7.5L/min
Pump Size	320*370*800mm
Weight	7.6Kg
Operating Pressure	60-100psi.4-7bar
Paint Inlet/Outlet nozzle	5mm/8mm
Outer box size	500*290*518mm
Packing Quantity	2pcs



R71 or R77 Spray gun is available for diaphragm pump



A25
Air Powerd Diaphragm Pump



SPECIFICATIONS	
Max Working Pressure	7Bar
Operating Pressure	2-7Bar
Air consumption	254-305mm
Max Flow Rate	60L/Min
Max Suck Heiaht	4.5m
Inlet Size	3/4"
Max Solid Dia	2.5mm
Max.pump spped	400Cpm
Outer box size	465*290*315mm
Packing Quantity	2pcs

A-15

Air Powerd Diaphragm Pump



R71 or R77 Spray gun is available for diaphragm pump



SPECIFICATIONS	
Max Working Pressure	7Bar
Operating Pressure	2-7Bar
Air consumption	10m³/h
Max Flow Rate	18L/Min
Inlet Size	3/8"
Outer box size	520*275*455mm
Packing Quantity	2pcs

A-20

Air Powerd Diaphragm Pump



R71 or R77 Spray gun is available for diaphragm pump



SPECIFICATIONS	
Max Flow Rate	48L/Min
Inlet Size	1/2"
Outer box size	505*255*220mm
Packing Quantity	1pcs

FR-50



SPECIFICATIONS	
Operating pressure	7.0bar
Max flow rate	23L/min
Pressurized strength	G3/8" Thread
Chief membrane material	PTFE
Paint inlet coupler	G3/8" Thread
Outer box size	540*427*206mm
Packing Quantity	10pcs

A8363A


Paint Tank

Feature:

- Sturdy construction and compact design makes this products the ideal choice for both amateur and professional.
- Pressure spray gun equipped with pressure gauge and fluid pressure regulator for accurate settings.
- Twin set of hoses permits easy movement and operation of spray gun.
- Excellent for large areas such as buses, trucks, and vans.

Application:

- Equipped with pressure spray gun, excellent for the painting of spray lacquer, stoving varnish, upper, wooden wares, calzado and transmission the paint, liquid, foodstuff and adhesive.



PAINT TANK

Feature

Big capacity tank perfect for big area spraying like in/out wall, floor, machinery etc.
Powder coating processing tank.
One-Piece format tank.
Mounted on wheels.
Pickup tube has filter screen.
Large lid clasp&gasket that will not fall off during lid removal.



Model	Capacity(L)	Working Pressure(bar)	Paint Output	Dimension(mm)	Inner Height(mm)	Inner Paint(mm)
A8312	10	1.4-2.1	1/4	283X283X383	/	/
A8318A	10	1.4-2.1	1/4	259X245X580	208	234
A8318H	10	1.4-2.0	1/4	259X246X465	208	234
A8363H	20	1.4-2.1	1/4	350X324X730	327	312
A8311H	30	1.4-2.1	1/4	417X324X650	380	310
A8311A	30	1.4-2.1	1/4	400X324X630	380	310
A8317A	40	1.4-2.1	1/4	417X390X810	384	370
A8317H	40	1.4-2.1	1/4	417X390X915	384	370
A8363A	50	1.4-2.1	1/4	350X324X645	327	/

AIR SPRAY GUN ACCESSORIES



AEROPRO

Air Blow Guns

A611

R8033-1



Nozzle Size:p2.0-φ4.0mm,
10cm,113cm,15cm nozzle available

Tyre Inflating

A612

R8037-2/DG-30C



Grease Gun

R8043/0082



Air Under Coating Gun

Ideal for top quality undercoat to vehicles to fight rust and stone chips
Applies all popular brands of undercoat in any viscosity



616A(750CC)



619



619A



R8416



Air Engine Cleaning Gun

R8036



Sand Blasting Gun

V641



Air Filter & Regulator

R8039-1

R8039-2

Air Regulator

A613



Ideal for the removal of rust spots on car
body panels, door, boot and bonnet edgesand
provides a very focused rust removal
area using the special rubber nozzle sleeves

Working pressure:1-8bar(14.5-116psi)
Max.pressure:10bar(145psi)
Size:114".3/8".112"s

AIR SPRAY GUN KITS

**AEROPRO**

R8031K5-G

5 PCS Air Tools Kits
990G Spray Gun
R8033-1 Blow Gun
R8037-2 Inflating Gun
R8036 Washing Gun
5m Air Hose



R8031K9-A

- 1 pc Filter (in the spray gun).
- 1 pc Hex wrench(Galvanizing).
- 1 pc 2#Inner Hexagon Spanner(Galvanizing)
- 1 pc 4#Inner Hexagon Spanner(Galvanizing)
- 1 pc Litter Wrench(Galvanizing).
- 1 pc Air Brush
- 1 pc Drag Hook (Galvanizing).
- 1 pcA604 With 500cc Plastic Cup(Gravity)
- 1 pcA606 With 100cc Plastic Cup(Gravity)



R8031K5-S

5 PCS Air Tools Kits
990s Spray Gun
R8033-1 Blow Gun
R8037-2 Inflating Gun
R8036 Washing Gun
5m Air Hose



R8031K10-A

10 pcs Air spray gun kits	2 pcs filter
1 pcAS1009 W/Φ 1.4mm nozzle	1 pc brush1 pc tool wrench
1 pcAS1009 W/Φ 1.7mm nozzle	1 pc hex wrench
1 pc H2009 W/Φ 1.0mm nozzle	3 pcs paper mask
1 pc PVC translucent cover	1 pcAR150 regulator
	1 pc spray holder

R8031K36-A

- 4 pcs Air Brush (Wool brush,Fine brush,Big pig hair brush,Small pig hair brush)
- 1 pc Quick coupler.
- 5 pcs ToothPick.
- 1 pc 600cc Plastic Cup.
- 1 pc 120cc Plastic cup.
- 2 pcs AR150A.
- 2 pcs Chroming inside thread.quick coupler.
- 1 pc Tool Wrench.
- 1 pc Raw material belt.
- 5 pcs Plastic Filters
- 10 pcs Paint Filers.
- 1 pc Thimble.
- 1 pc H827 Spray Gun.W/φ1.4mm Nozzle
- 1 pc A602 Spray Gun.W/φ1.0mm Nozzle

